

PHYLOGENY OF THE HAMAMELIDAE: TAXONOMIC INDEX

COMPILED BY DAVID L. DILCHER AND DANIEL MACKLIN¹

- Ailanthus*, 400, 423
Alfaroa, 367, 368, 422
Alnus, 277, 278, 279, 362, 367, 368, 406, 407, 422, 423, 427
Altingia, 325–328, 333–337, 339–345, 351, 356, 367, 368, 378, 380, 399, 418
Altingiaceae, 325, 326, 345
Altingioideae, 348
Amaryllidaceae, 419
Amentaceae, 229
Amentiferae, 227, 229, 325, 417, 418
Ampelocera, 367, 368, 370, 380, 421
Anacardiaceae, 348, 369, 370, 371, 408, 418, 419, 422, 423
Antiuocarya, 404, 405, 410
Aphananthe, 367, 368, 380, 401, 421
Aquilapollenites, 279
Araliopsis, 228
Artocarpus, 410
Asclepiadaceae, 420
Asteraceae, 429
Asteridae, 419, 421, 423, 429, 430, 431, 432
Atriplex, 406, 407
Austrobaileya, 300
- Balanocastanon*, 238, 250
Balanopaceae, 260, 276, 348, 357, 368, 370, 396, 398, 405, 408, 413, 418, 426, 429
Balanopales, 408
Balanops, 357, 362, 366, 367, 368, 369, 371, 372, 373, 378, 426
Banksites, 401
Barbeya, 355, 361, 367, 368, 371, 372, 373, 374, 378, 380, 421
Barbeyaceae, 260, 348, 355, 366, 368, 370, 371, 396, 398, 401, 407, 418, 425, 428
Becktonia, 402, 403
Betula, 277, 278, 279, 362, 367, 368, 373, 378, 406, 407, 420, 422, 423, 426, 427
Betulaceae, 228, 238, 249, 251, 252, 261, 276, 277, 279, 348, 362, 366, 368, 369, 370, 371, 373, 396, 398, 406, 408, 411, 412, 417, 418, 419, 422, 423, 426, 427, 429, 433
Betulales, 398, 408
Bicameria, 403, 404
Boehmeria, 403, 404, 421, 426, 437
Broussonettia, 402, 403, 424, 426, 436
Brunelliaceae, 371
Bucklandia, 400
Bucklandioideae, 325
Burseraceae, 419
Buxaceae, 371
- Callaeocarpus*, 241
Cannabaceae, 348, 355, 368, 369, 370, 396, 398, 402, 404, 407, 412, 418, 424, 425, 428
Cannabidaceae, 260, 261
Cannabinaceae, 433
Cannabis, 355, 362, 367, 368, 374, 378, 402
- Caprifoliaceae, 419
Carpinocarpus, 407
Carpinus, 362, 406, 407, 423
Carpinuspollenites, 277
Carpites, 403
Carpolithus, 387
Carya, 278, 357, 367, 368, 369, 404, 405, 419, 422
Caryanthus, 404, 405, 410
Caryophyllidae, 421, 430, 432
Casholdia, 398, 404, 405
Castanea, 229–233, 238–245, 248, 250, 251, 252, 263, 264, 272, 277, 279, 284, 285, 288, 290, 292, 293, 295, 366, 367, 368, 405, 406, 426
Castaneae, 229, 230
Castaneoideae, 230, 231, 234, 239, 240, 241, 245, 250, 251, 252, 262, 263, 268, 272, 279, 359
Castaninae, 230
Castanopsis, 230, 231, 232, 239–246, 248–252, 262, 268, 272, 284, 285, 288, 293, 294, 295, 367, 368, 406
Castanoxylon, 239
Casuarina, 362, 366, 367, 368, 378, 406, 419, 424, 426, 437
Casuarinaceae, 260, 277, 279, 348, 362, 368–372, 396, 398, 406, 407, 411, 418, 424, 426, 429
Casuarinales, 276, 362, 366, 367, 398, 418, 424, 429
Cathayambar, 328, 329, 343
Cecropia, 424, 426, 437
Cecropiaceae, 260, 348, 357, 394, 396, 398, 403, 408, 410–413, 418, 424, 426, 428
Celtidaceae, 421
Celtidoideae, 355, 366, 369, 370, 371, 401, 402, 409
Celtis, 362, 367, 368, 373, 380, 401, 402, 421
Cercidiphyllaceae, 260, 279, 319, 348, 349, 367, 370, 373, 382, 393, 396, 398, 399, 407, 418, 425, 428
Cercidiphyllales, 349, 382
Cercidiphyllites, 277
Cercidiphyllum, 297–300, 303–309, 312, 313, 315–321, 349, 351, 367, 368, 378, 380, 382, 383, 385–393, 399, 425, 436
Cerris, 232, 247, 261, 262
Chaetachme, 367, 368, 380, 421
Chaetacme, 401
Chaetoptela, 401, 421
Chaetoptelea, 367, 368, 370
Chloranthaceae, 225, 236
Chlorophora, 402, 403
Chrysolepsis, 230, 231, 232, 240, 241, 242, 246, 250, 251, 252, 261, 264, 268, 272, 367, 368
Chunia, 342, 353
Chunioideae, 325
Clusiaceae, 419
Complexiopollis, 375
Comptonia, 404, 407
Corylaceae, 423
Corylocarpinus, 407
Corylopsis, 278, 305, 353, 356, 367, 368, 378, 380, 400, 425, 436
Corylus, 278, 362, 367, 368, 406, 407, 408, 423

¹ Department of Biology, Indiana University, Bloomington, Indiana 47405.

- Coussapoa*, 410
Cryptocarya, 420
Cudrania, 402, 410, 424, 426, 436
Cupuliferae, 229, 230
Cupuliferites, 239
Cyclobalanopsidae, 230
Cyclobalanopsis, 230, 232, 243, 246, 247, 250, 262
Cyclobalanus, 230
Cyclocarya, 398, 404, 405, 410

Daphniphyllaceae, 260, 348, 353, 368, 370, 371, 396, 398, 400, 408, 411, 413, 418, 420, 425, 427, 428
Daphniphyllales, 227, 353, 366, 367, 398, 418, 424, 428
Daphniphyllum, 358, 359, 367, 368, 378, 380, 420, 425, 436
Debeya, 228, 278
Debeya-Dewalquea, 248, 252
Degeneria, 366
Dewalquea, 228
Didymelaceae, 260, 277, 279, 348, 353, 372, 373, 396, 398, 408, 413, 418, 420, 425, 428
Didymelales, 276, 353, 398, 400, 418, 428
Didymeles, 420, 421, 425
Dilleniidae, 369, 408, 419, 421, 429, 430, 431
Diospyros, 233
Disanthoideae, 325, 342, 344, 345, 353
Disanthus, 326, 342, 353, 356, 367, 368, 378, 380, 382, 400, 418
Distinctae, 248
Distylium, 353, 400, 425, 436
Dorstenia, 357, 362, 367, 368, 369, 378, 402, 411, 424, 426, 436
Dryophyllum, 233, 239, 242, 245, 252, 278, 279

Embothrites, 401
Engelhardtia, 357, 367, 368, 404, 405, 410, 422
Engelhardtiae, 369
Erythrobalanus, 230, 232, 247, 261, 262, 264
Eucastanon, 238, 250
Eucommia, 353, 360, 366, 367, 368, 372, 378, 380, 398, 400, 401, 420, 425, 436
Eucommiaceae, 260, 279, 348, 353, 367, 368, 370, 372, 373, 396, 398, 400, 407, 418, 420, 425, 428
Eucommiales, 353, 398, 418, 424, 428
Euliquidambar, 328
Euphorbiaceae, 408, 418, 419
Euphorbiales, 408, 418
Eupomatiaceae, 430
Euptelea, 297–300, 303–309, 312, 313, 315, 316, 318, 319, 320, 321, 349, 351, 367, 368, 378, 380, 425, 436
Eupteleaceae, 348, 349, 370, 373, 396, 398, 399, 418, 425, 428
Eupteleales, 349
Eupteliaceae, 260, 319
Euquercus, 246, 247
Exbucklandia, 342, 343, 344, 351, 353, 356, 367, 368, 378, 380, 399
Exbucklandioideae, 325, 342, 344, 345, 351

Fabaceae, 429
Fagaceae, 228–232, 234–241, 245, 246, 248–253, 261, 262, 263, 276–280, 284, 285, 295, 296, 348, 359, 366, 368–373, 394, 396, 398, 405, 406, 408–413, 418, 420, 423, 426, 429, 433
Fagales, 276, 357, 366, 367, 408, 417, 418, 423, 424, 429
Fageae, 230
Fagineae, 230
Fagoideae, 229, 230, 233, 250, 251, 262, 263, 268, 362
Fagophyllum, 278, 279
Fagopsis, 229, 236, 251, 252, 278, 280, 398, 405, 406, 408, 409, 410
Fagoxylon, 278
Fagus, 229–234, 237, 238, 239, 245, 250, 251, 252, 261, 263, 277, 278, 280, 284, 362, 366, 367, 368, 374, 405, 406, 417, 426
Fatoua, 426, 436
Ficus, 402, 403, 420, 421, 424, 426, 427, 436
Fortunearia, 400, 425, 436
Fothergilla, 353, 356, 367, 368, 378, 380, 400, 425, 436
Fraxinifolae, 248
Fraxinus, 400

Galumpita, 421
Ginko, 388
Girardinia, 403
Gironniera, 367, 368, 380, 401, 402, 421
Guttiferae, 419
Gymnostoma, 362, 366, 367, 368, 378

Haloragacidites, 277
Hamamelidaceae, 260, 277, 279, 297, 303, 305, 306, 308, 315, 318, 319, 325, 326, 344, 345, 348, 351, 356, 367, 368, 369, 370, 373, 393, 395, 396, 398, 399, 400, 407, 411, 412, 418, 420, 423, 424, 425, 428
Hamamelidae, 225, 226, 227, 276, 277, 297, 303, 309, 315, 321, 322, 348, 366, 369–373, 375, 382, 383, 394, 395, 396, 398, 399, 408, 411, 412, 413, 417–421, 423, 424, 425, 427–433
Hamamelidales, 276, 297, 303, 318, 321, 322, 349, 366, 367, 371, 382, 398, 417, 418, 423, 424, 428
Hamamelidiae, 278
Hamamelididae, 225
Hamamelidiflorae, 370
Hamamelidoid, 278
Hamamelidoideae, 326, 342, 344, 353, 399
Hamamelidopsidae, 237
Hamamelis, 303, 353, 356, 367, 368, 378, 380, 399, 400, 424, 425, 427, 436
Helicostylis, 424, 426, 436
Helicostylus, 424
Hemiptelea, 367, 368, 421
Hemistylus, 411
Hicoreae, 369
Holoptelea, 367, 368, 421
Hooleya, 405
Hortonia, 300
Humularia, 402
Humulus, 402, 424, 425, 436
Hypocastanon, 238

Idiospermaceae, 430
Illicium, 313

Jenkinsella, 319
Joffrea, 319, 382, 383, 385, 387, 389, 391, 392, 393, 399
Juglandaceae, 260, 279, 348, 357, 368–371, 373, 394,

- 395, 396, 398, 404, 408–411, 413, 417–420, 422, 423, 426, 428
 Juglandales, 227, 357, 366, 367, 398, 408, 418, 423, 424, 428
Juglandicarya, 405
 Juglandineae, 422
Juglans, 367, 368, 369, 374, 398, 404, 405, 410, 422
 Julianaceae, 418, 422
- Klikovispermum*, 400
- Laportea*, 403, 404, 426, 437
 Lauraceae, 420, 430
 Laurales, 306, 419
Leitneria, 227, 353, 360, 367, 368, 371, 372, 374, 378, 404, 424, 426, 437
 Leitneriaceae, 261, 348, 353, 368, 370, 371, 373, 396, 398, 404, 407, 418, 424, 426, 427, 428
 Leitneriales, 227, 353, 366, 367, 398, 418, 423, 424, 427, 428
Lepidobalanus, 232, 247, 261, 262
 Liliaceae, 419
 Liliopsida, 419, 421, 429, 431, 432
 Lilliidae, 421, 431, 432
Limaipollenites, 375
Limlia, 244, 251
Liquidambar, 277, 325–329, 331, 333–337, 339–345, 367, 368, 378, 380, 399, 400, 418, 420, 425, 436
 Liquidambaroideae, 325, 327, 328, 341, 342, 344, 345, 348, 351, 366, 367, 368, 373
 Lithocarpeae, 230
Lithocarpus, 230, 231, 232, 239, 240, 242–246, 248–252, 261–264, 268, 272, 284–289, 291–295, 367, 368, 405, 406, 410
Loropetalum, 353, 356, 367, 368, 378, 380, 425, 436
Lozanella, 367, 368, 380, 421
- Macrobalanus*, 230, 232, 247, 262
Magnolia, 433
 Magnoliaceae, 297, 299
 Magnoliales, 306, 318, 321, 322, 382, 418
 Magnolidae, 321
 Magnoliid, 433
 Magnoliidae, 227, 297, 303, 309, 315, 321, 322, 394, 418, 419, 420, 421, 422, 429–433
 Magnolioid, 278
 Magnolipsida, 432
 Malvales, 408, 418
 Malviflorae, 433
Manningia, 404, 405, 410
Matudaea, 353, 356, 367, 368, 378, 380
Mesobalanus, 232, 247, 261
 Metatrophis, 411
Microcarpolithes, 403, 404
Mirandaceltis, 367, 368, 380, 421
Momipites, 277
 Moraceae, 260, 261, 348, 357, 366, 369, 373, 394, 396, 398, 402, 403, 404, 408, 410, 411, 412, 413, 417, 418, 419, 420, 424, 426, 427, 428, 429, 430, 433
 Moroidea, 402, 403
Morus, 402, 403, 419, 426, 437
Myrica, 277, 279, 357, 362, 367, 368, 369, 379, 404, 419, 420, 424, 426, 437
 Myricaceae, 261, 276, 279, 348, 357, 368, 370, 371, 373, 396, 398, 404, 407, 411, 412, 418, 420, 423, 426, 428
- Myricales, 276, 357, 366, 367, 398, 418, 423, 424, 428
 Myristicaceae, 430
 Myrothamnaceae, 260, 318, 348, 349, 366, 367, 368, 370, 372, 396, 398, 400, 407, 418, 425, 428
Myrothamnus, 351, 354, 366, 367, 368, 371, 379, 380, 425, 436
Mytilaria, 342, 344, 351, 353
 Mytilarioideae, 325, 342
- Nandinaceae, 419
Nordenskioldia, 399
 Nothofagaceae, 228, 231, 250, 251, 252, 279
Nothofagidites, 235
Nothofagoxylon, 237, 278
Nothofagus, 228–238, 249–252, 261, 263, 264, 268, 272, 276–281, 348, 362, 366–371, 405, 406
 Nymphaeales, 419, 432
Nyssidium, 382, 383, 385, 387, 389, 391, 392, 393, 399
- Ochnaceae, 419
Oreomunnea, 367, 368, 422
Ostrya, 362, 406, 407, 422, 423, 427
Ostryopsis, 362, 406
Ovicarpum, 402, 403
- Paleocarpinus, 406, 407
Paleooreomunnea, 405
Paraengelhardtia, 405
Parasponia, 367, 368, 369, 380, 421
Parrotia, 305, 353, 400, 425, 436
Pasania, 230, 244
 Pasanieae, 230
Pasaniopsis, 244
Passiflora, 433
Phyllites, 237, 245
Phyllostylon, 367, 368, 421
Picrasma, 423
Pilea, 403, 404, 411
 Piperales, 419
Pistacia, 362, 367–371, 379
Plagioceltis, 421
Planera, 355, 367, 368, 401, 421
 Platanaceae, 260, 278, 279, 318, 345, 348, 349, 367, 368, 370, 373, 396, 398, 399, 407, 413, 418, 425, 428
Platanus, 227, 345, 349, 351, 352, 367, 368, 379, 380, 399, 425, 436
Platycarya, 357, 367, 368, 369, 404, 405, 422
 Platycaryeae, 369
Plicapollis, 371
 Poaceae, 371
Polyptera, 398, 404, 405
Populus, 362, 367, 368, 369, 370, 379
Pourouma, 424, 426, 437
Pranus, 388
Prisca, 319
Procris, 411
Protobalanus, 232, 247, 248, 262
Prunus, 400
 Pseudofagineae, 229, 231, 251
Pseudofagus, 229, 231, 251, 406
Pterocarya, 357, 367, 368, 369, 374, 404, 405, 409, 410, 422
Pteroceltis, 367, 368, 380, 401, 402, 421

- Querceae, 230
 Quercineae, 229, 230
 Quercoideae, 229, 230, 231, 234, 245, 250, 251, 252, 262, 263, 268, 272, 362
Quercophyllum, 248
Quercus, 229–232, 239, 240, 242–252, 261–264, 268, 272, 279, 280, 284, 285, 288, 290, 291, 293, 295, 367, 368, 374, 398, 405, 406, 426
- Ranunculaceae, 309
 Ranunculidae, 419
 Rhamnaceae, 419
Rhodoleia, 326, 342, 343, 344, 351, 356, 367, 368, 374, 379, 380, 399, 400
 Rhodoleiaceae, 326
 Rhodoleiidae, 351
 Rhodoleioideae, 325, 342, 344, 345
Rhoiptelea, 357, 367, 368, 369, 374, 426, 437
 Rhoipteleaceae, 348, 357, 366, 368–371, 396, 398, 404, 407, 418, 422, 426, 428
 Rhoipteliaceae, 260
 Rosidae, 419, 421, 423, 427, 429–432
 Rosidae-Hamamelidae, 297, 321
 Rosidae, 369, 371, 408
 Rosiflorae, 422
Rousselia, 410
 Rutaceae, 429
 Rutales, 418
 Rutiflorae, 371, 422
 Rutinae, 422
- Salicaceae, 227, 348, 369, 370
Salix, 367, 368, 369, 370
 Sapindales, 227, 408, 418
 Schisandraceae, 309, 418
Schizocolpus, 277
Semiliquidambar, 326, 327, 336, 337, 341–345
 Simaroubaceae, 433
Sinowilsonia, 278, 393, 424, 425, 436
Sloetia, 402, 410
 Solanaceae, 433
Soleirolia, 410
Steinhauera, 399, 400
Streblus, 410, 411
 Suspectae, 248
Sycopsis, 305, 353, 425, 436
Symingtonia, 343
 Symingtonioideae, 325
- Tetracentraceae, 260, 349, 370, 396, 398, 399, 418, 425, 428
Tetracentron, 278, 297–301, 303–309, 312–315, 318–321, 348, 349, 367, 368, 370, 372, 380, 389, 399, 425, 436
 Thymeleaceae, 418, 419
Trema, 367, 368, 369, 380, 401, 421
Tricolporopollenites, 277
 Trigonobalanoideae, 229, 231, 251
Trigonobalanus, 229–232, 239, 242, 244, 245, 246, 250, 251, 252, 262, 268, 272, 284, 285, 367, 368, 398, 405, 406, 418
 Trimeniaceae, 300
 Trochodendraceae, 260, 297, 299, 319, 348, 349, 367, 370, 396, 398, 399, 407, 418, 425, 428
 Trochodendrales, 297–300, 303, 305, 306, 318–322, 349, 366, 367, 370, 372, 373, 382, 398, 399, 418, 424, 428
 Trochodendreae, 297, 319
Trochodendrocarpus, 382, 383, 387, 388, 389, 391, 392, 393
Trochodendron, 297–310, 313–316, 318–321, 349, 368, 399, 425, 436
Tubela, 407
Tylophora, 420
- Ulmaceae, 260, 261, 276, 279, 348, 355, 366, 368, 369, 371, 373, 394, 396, 398, 400, 401, 407, 408, 409, 411, 413, 417, 418, 419, 421, 425, 428
 Ulmoideae, 355, 369, 370, 401, 402, 409
Ulmus, 277, 278, 362, 367, 368, 401, 421, 430
Urtica, 403, 421, 424, 426, 437
 Urticaceae, 260, 261, 348, 357, 366, 373, 394, 396, 398, 403, 404, 407, 408, 410–413, 417, 418, 424, 426, 428, 433
 Urticales, 227, 355, 366, 367, 370, 371, 398, 408, 418, 424, 427, 428, 433
Urticarpum, 403
Urticoidea, 403, 404
- Virentes*, 263
- Winteraceae, 297, 309
- Zelkova*, 367, 368, 401, 421